385 N Arrowhead Ave, San Bernardino, CA 92415 | Phone: 800.442.2283 Fax: 909.387.4323
www.SBCounty.gov
www.SBCounty.gov/dph/dehs

SAN BERNARDINO COUNTY

Public Health
Environmental Health Services

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME				REINSPECTION DATE	INSPECTOR	DATE
MCDONALD'S				4/09/2020	Joseph Contreras	3/26/2020
LOCATION				PERMIT EXPIRATION	IDENTIFIER: None	
3230 WAGON TRAIN RD, PHELAN, CA 92371				12/31/2020	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
TIME IN	TIME OUT	FACILITY ID	RELATED ID	PE	RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU	
1:35 PM	2:03 PM	FA0000649	PR0012294	1621	ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED	

RETAIL FOOD PROTECTION - Public Eating Pl (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, Schedule of Fees.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: An inspection was conducted on this date to verify the facility has ceased operations due to bacteria detection in the water system.

Observed the facility to be not operating and all entry doors locked. Also, observed multiple signs indicating the facility was closed.

Ensure all equipment which requires the use of the water system is cleaned and sanitized prior to use.

Contact Environmental Health Services at 800 442 2283 for further questions or assistance.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

16K054 Permit Suspension ⚠ CRITICAL ⚠

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC - 114409, 114405

Inspector Comments: The health permit for this facility is hereby suspended due to lack of potable water.

Contact Environmental Health Services at 800 442 2283 once the facility is able to provide the necessary testing and documentation from the water system operator.

A closure notice was posted on this date. Do not remove, relocate, or alter.

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409, 114405)

Overall Inspection Comments

No summary comments have been made for this inspection.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our calendar.

Signature(s) of Acknowledgement

NAME: signature not available
TITLE:

Total # of Images: 0